

**QUAKE TRAFFIC LANE  
CLEANER**

**Material Safety Data Sheet**

**STATEMENT OF HAZARDOUS NATURE:** Hazardous according to the criteria of NOHSC Australia

Hazard category: Harmful, Irritant

**COMPANY**

COMPANY Carpet Cleaners Warehouse  
 Address Unit 1/3 Sutherland Street  
 Granville NSW 2142  
 Telephone 1800 68 68 69  
 Fax (02) 8868 0099  
 Emergency Telephone Number 1800 68 68 69

**IDENTIFICATION**

PRODUCT NAME **QUAKE TRAFFIC LANE CLEANER**  
 Manufacturer's PRODUCT CODE: **QUAKE TRAFFIC LANE CLEANER**  
 UN NUMBER None Allocated  
 PROPER SHIPPING NAME None Allocated  
 DANGEROUS GOODS CLASS None Allocated  
 HAZCHEM CODE None Allocated  
 POISONS SCHEDULE NUMBER None Allocated  
 PACKAGING GROUP None Allocated  
 PRODUCT USE Carpet Cleaner

RISK PHRASES R20/21/22 Harmful by inhalation, in contact with and if swallowed  
 R36/38Irritating to eyes and skin

SAFETY PHRASES S1/2 Keep locked up and out of reach of children  
 S23 Do not breathe vapour  
 S24/25 Avoid contact with skin and eyes  
 S26 In case of contact with eyes, rinse immediately with plenty of water  
 and contact a doctor or poisons Information Centre

**INGREDIENTS**

Ingredient	CAS Number	Proportion	Exposure Limit (Worksafe Australia)
Glycol Ether EB	111-76-2	5.0 - 10.0	TWA - 25 ppm (121 mg/m3) Note: (SK) Absorption through the skin may be a significant source of exposure
Potassium Hydroxide	1310-58-3	0.5 - 2.0	not established
Anionic Surfactants		<5	not established
Alkaline Salts	mixture	<10	not established
Water		>60	

**PHYSICAL DESCRIPTION/PROPERTIES**

APPEARANCE & ODOUR clear liquid, sweet odour

## Material Safety Data Sheet

## QUAKE TRAFFIC LANE CLEANER

BOILING POINT	100 C
VAPOUR PRESSURE	760 mmHg
SPECIFIC GRAVITY	0.978
FLASH POINT	Not flammable
FLAMMABLE LIMITS	not determined
Solubility in Water	complete

---

### OTHER PROPERTIES

---

REACTIVITY	not determined
.pH @ 20C	13.0-13.5
Per Cent Volatile	greater than 80%
Bulk Density	0.98 kg/litre

---

### HEALTH HAZARD INFORMATION

---

**Hazardous according to the criteria of Worksafe Australia**

Hazard category: Harmful, Irritant

#### ACUTE HEALTH EFFECTS

- SWALLOWED Swallowing may cause irritation of the gastrointestinal tract. Large amounts may result in headaches, dizziness, nausea may lead liver and kidney damage.
- EYE Will cause irritation to the eyes. Prolonged exposure may cause eye
- SKIN Harmful by skin contact. The Glycol Ether EB absorbs through the skin. May cause irritation to the skin.
- INHALED

#### CHRONIC HEALTH EFFECTS

Chronic exposure to Ethylene Glycol may cause damage to blood cells, liver or kidney damage. Prolonged skin contact may cause dermatitis.

---

### FIRST AID

---

SWALLOWED	Do not induce vomiting. If victim is conscious, give larger quantities of water. Never give anything by mouth to an unconscious person. Contact a doctor immediately.
EYE	Hold eyelids open and flush with water for at least 15 minutes. If irritation persists see a doctor.
SKIN	Flush thoroughly with water until no longer slippery. Remove contaminated clothing. Wash before wearing again. If irritation occurs, call a doctor
INHALED	Remove to fresh air. If breathing is difficult call a doctor.
ADVICE TO DOCTOR	Treat symptomatically

## Material Safety Data Sheet

**QUAKE TRAFFIC LANE  
CLEANER****PRECAUTIONS FOR USE**

EXPOSURE STANDARDS	No exposure standard Allocated for finished product. See ingredient information
ENGINEERING CONTROLS	Use with adequate ventilation
PERSONAL PROTECTION	
.-Respirators	Not normally required. If risk of inhalation in amounts determined to be hazardous based on ingredient information, wear suitable respirator meeting the requirements of AS/NZS 1715/1716 for organic vapours and mists.
.-Gloves	Impervious Neoprene, PVC or rubber gloves are recommended.
.-Eye	Not normally required. If spraying or misting overhead wear goggles or glasses.
.-Clothing	Special clothing not normally required. If process might wet clothing with product solution, then resistant aprons and footwear should be worn.
FLAMMABILITY	NOT FLAMMABLE

**SAFE HANDLING INFORMATION**

STORAGE & Transport	Not classified as Dangerous goods per code of transportation by road and rail.
STORAGE	Store in a cool, dry place with adequate ventilation. Wash after use. Do Not mix chemicals. Keep away from in compatibles. Keep away from oxidizers.
.-time limits for safe storage	
.-incompatibles	Oxidisers
SPILLS	Absorb with inert material. Sweep or scrape up and containerise.
DISPOSAL	No special. Method. Observe all applicable governmental regulations.
EFFECTS ON THE ENVIRONMENT	Avoid contaminating waterways.
FIRE/EXPLOSION HAZARD	
.-Fire fighting Recommendations and precautions	Normal fire fighting procedures may be used.
.-Personal protection	None allocated
.-Fire Extinguishing Agents	Foam, CO2. Dry chemical. Water fog. Do NOT use water jets

**OTHER INFORMATION**

Toxicity	Not determined for this mixture - LD50 Glycol Ether EB : 2400 mg/kg. LD50
----------	--

## Material Safety Data Sheet

## QUAKE TRAFFIC LANE CLEANER

Carcinogenic	None known
Ecotoxicity	Not determined for this mixture
Biodegradability	Not determined for this mixture
Chemical Ingredients	All ingredients are registered on the Australia Inventory of Chemical Substances.

---

**CONTACT POINT**

---

AUSTRALIA