

**Material Safety Data Sheet****ZIP DRI****STATEMENT OF HAZARDOUS NATURE: Hazardous according to the criteria of NOHSC Australia****COMPANY**

COMPANY	Carpet Cleaners Warehouse
Address	Unit 1/3 Sutherland Street Granville NSW 2142
Telephone	1800 68 68 69
Fax	(02) 8868 0099
Emergency Telephone Number	1800 68 68 69

**IDENTIFICATION**

PRODUCT NAME	<b>ZIP DRI</b>
Manufacturer's PRODUCT CODE:	ZIP DRI
UN NUMBER	None Allocated
PROPER SHIPPING NAME	None Allocated
DANGEROUS GOODS CLASS	None Allocated
HAZCHEM CODE	None Allocated
POISONS SCHEDULE NUMBER	S5
PACKAGING GROUP	None Allocated
PRODUCT USE	Carpet Cleaner
RISK PHRASES	R20/21/22 Harmful by inhalation, in contact with and if swallowed R36 Irritating to eyes
SAFETY PHRASES	S1/2 Keep locked up and out of reach of children S23 Do not breathe vapour S24/25 Avoid contact with skin and eyes S26 In case of contact with eyes, rinse immediately with plenty of water and contact a doctor or poisons Information Centre

**INGREDIENTS**

Ingredient	CAS Number	Proportion	Exposure Limit (Worksafe Australia)
Glycol Ether EB	111-76-2	<20	TWA - 25 ppm (121 mg/m3) Note: (SK) Absorption through the skin may be a significant source of exposure
Glycol Ether DB	112-25-4	10 - 30	not established
Anionic Surfactants		<5	not established
Fragrance		>1	not established
Water		>50	

**PHYSICAL DESCRIPTION/PROPERTIES**

APPEARANCE & ODOUR	clear liquid, sweet odour
BOILING POINT	100 C
VAPOUR PRESSURE	760 mmHg
SPECIFIC GRAVITY	0.978

# Material Safety Data Sheet

# ZIP DRI

FLASH POINT	61 - 150 C
FLAMMABLE LIMITS	not determined
Solubility in Water	complete

---

**OTHER PROPERTIES**

---

REACTIVITY	not determined
.pH @ 20C	5.0 - 8.0
Per Cent Volatile	greater than 95%
Bulk Density	0.98 kg/litre

---

**HEALTH HAZARD INFORMATION**

---

**Hazardous according to the criteria of Worksafe Australia**

**ACUTE HEALTH EFFECTS**

- SWALLOWED                      Swallowing may cause irritation of the gastrointestinal tract. Large amounts may result in headaches, dizziness, nausea may lead liver and kidney damage.
- EYE                                      High vapour concentrations or liquid splashes may irritate the eyes
- SKIN                                      Repeated or prolonged contact with causes defatting of the skin. The material absorbs through the skin.
- INHALED

CHRONIC HEALTH EFFECTS                      Chronic exposure to Glycol Ether EB may cause damage to blood cells, liver or kidney damage.

---

**FIRST AID**

---

- SWALLOWED                      Do not induce vomiting. If victim is conscious, give larger quantities of water. Never give anything by mouth to an unconscious person. Contact a doctor immediately.
- EYE                                      Hold eyelids open and flush with water for at least 15 minutes
- SKIN                                      Wash thoroughly with water. Remove contaminated clothing. Wash before wearing again. If irritation occurs, call a doctor
- INHALED                              Remove to fresh air. If breathing is difficult call a doctor.
- ADVICE TO DOCTOR                      Treat symptomatically

---

**PRECAUTIONS FOR USE**

---

EXPOSURE STANDARDS	No exposure standard Allocated for finished product. See ingredient information
ENGINEERING CONTROLS	Use with adequate ventilation
PERSONAL PROTECTION	

**Material Safety Data Sheet****ZIP DRI**

.-Respirators	Not normally required. If risk of inhalation in amounts determined to be hazardous based on ingredient information, wear suitable respirator meeting the requirements of AS/NZS 1715/1716 for organic vapours and mists.
.-Gloves	Impervious Neoprene, PVC or rubber gloves are recommended.
.-Eye	Not normally required. If spraying or misting overhead wear goggles or glasses.
.-Clothing	Special clothing not normally required. If process might wet clothing with product solution, then resistant aprons and footwear should be worn.

FLAMMABILITY NOT FLAMMABLE

**SAFE HANDLING INFORMATION**

STORAGE & Transport	Not classified as Dangerous goods per code of transportation by road and rail.
STORAGE	Store in a cool, dry place with adequate ventilation. Wash after use. Do Not mix chemicals. Keep away from in compatibles. Keep away from oxidizers.
.-time limits for safe storage	
.-incompatibles	Oxidisers
SPILLS	Absorb with inert material. Sweep or scrape up and containerise.
DISPOSAL	No special. Method. Observe all applicable governmental regulations.
EFFECTS ON THE ENVIRONMENT	Avoid contaminating waterways.
FIRE/EXPLOSION HAZARD	
.-Fire fighting Recommendations and precautions	Normal fire fighting procedures may be used.
.-Personal protection	None allocated
.-Fire Extinguishing Agents	Foam, CO2. Dry chemical. Water fog. Do NOT use water jets

**OTHER INFORMATION**

Toxicity	Not determined for this mixture - LD50 Glycol Ether EB : 2400 mg/kg. LD50 Glycol Ether DB: >5000 mg/kg
Carcinogenic	None known
Ecotoxicity	Not determined for this mixture
Biodegradability	Not determined for this mixture
Chemical Ingredients	All ingredients are registered on the Australia Inventory of Chemical Substances.

**CONTACT POINT**

AUSTRALIA